

NORA[®]
LIGHTING

**CONTRACTOR
SERIES**





Nora Lighting is a family owned business since 1989. Our product options range from recessed, commercial, track, under-cabinet, tape, accent, multiples, linear, cylinders, strip, exit and emergency.

Scan for more info.



Visit our
**Contractor Series
Webpage**

www.noralighting.com/contractor

TABLE OF CONTENTS

Can-less LED Downlights
with Deep Reflector Pg. 6

Can-less LED Wafer Downlights
with Regressed Baffle Pg. 8

LED Retrofit Downlights.....Pg. 10

LED Flush Mount Disk Lights.....Pg. 12

LED Backlit PanelsPg. 14

Quick Ship Program.....Pg. 16

Contact our **Distributor**




Scan to locate
your nearest distributor





Simple to Stock

Eliminate SKUs with the most popular styles of products, all with Selectable CCT.



Bulk Packed = Less Waste

Fewer boxes and instruction sheets to dispose of on your job site.



Quick Ship

Items eligible for Nora's New Quick Ship Program!





Today, contractors are purchasing sub-par products because of aggressive price points only to have upset end users and frustrated distributors when product lacked quality and performance.

Nora Lighting recognized the need to bridge the gap between price and quality, and the Nora Contractor Series is our answer. The Nora Contractor Series product line-up is concentrated on everyday distributor stocking items that are specifically designed to ensure an exceptional value to the contractor without sacrificing quality product. These items ship quickly, are bulk packaged to eliminate waste, and provide multiple SKUs in one item with selectable CCT – making them an ideal choice for busy contractors and distributors alike.

Nora Lighting leveraged its over 35-year history in designing and manufacturing high quality LED and non-LED residential and commercial lighting to bring this series to light. Our humble beginnings as a company are at the core of how we make choices and how we operate and thrive as a business. This enables us to listen and provide the right product to meet the needs of distribution.

At Nora Lighting we stand by our product and our company's mantra of:

Large enough to do it right, small enough to care.

CONTRACTOR SERIES

Can-less LED Downlights

BULK PACK	12 per box	
SIZE	4"	6"
LUMENS / WATTAGE	850lm / 10W	1050lm / 12W



NCSC-R4D1TWMPW



NCSC-R6D1TWMPW

Can-less LED Wafer Downlights

BULK PACK	12 per box	
SIZE	4"	6"
LUMENS / WATTAGE	750lm / 10W	1050lm / 13.5W



NCSC-R4W2TWMPW



NCSC-R6W2TWMPW

LED Retrofit

BULK PACK	12 per box	
SIZE	4"	6"
LUMENS / WATTAGE	700lm / 10W	950lm / 12W



NCSR-R41TWMPW



NCSR-R61TWMPW

Surface Mount

BULK PACK	12 per box	
SIZE	6"	
LUMENS / WATTAGE	1200lm / 16W	



NCSD-R6TWMPW
(Selectable CCT)




NCSR-R630MPW
(Dedicated 3000K)

LED Backlit Panels


BULK PACK	4 per box	
SIZE	2' x 2'	2' x 4'
LUMENS / WATTAGE	3700lm / 30W	5700lm / 45W



NCSP-22/334W



NCSP-24/334W




NCSC-RD

4" & 6" CAN-LESS LED DOWNLIGHTS

CASE QUANTITY:
12 PCS

PART NUMBER	NCSC-R4D1	NCSC-R6D1
INPUT VOLTAGE	120VAC	
WATTAGE	10W	12W
LUMENS	850lm	1050lm
DIMMING	Triac or ELV	
CRI	90+ CRI	
COLOR TEMPERATURE		




NCSC-RW

4" & 6" CAN-LESS LED WAFER DOWNLIGHTS

CASE QUANTITY:
12 PCS

PART NUMBER	NCSC-R4W2	NCSC-R6W2
INPUT VOLTAGE	120VAC	
WATTAGE	10W	13.5W
LUMENS	750lm	1050lm
DIMMING	Triac or ELV	
CRI	90+ CRI	
COLOR TEMPERATURE		



DOWNLIGHTS

Can-less, Retrofit & Surface Mount




NCSR

4" & 6" LED RETROFIT DOWNLIGHTS

CASE QUANTITY:

12 PCS

PART NUMBER	NCSR-R41	NCSR-R61
INPUT VOLTAGE	120VAC	
WATTAGE	10W	12W
LUMENS	700lm	950lm
DIMMING	Triac or ELV	
CRI	90+ CRI	
COLOR TEMPERATURE		




NCSD

6" LED FLUSH MOUNT DISK LIGHT

CASE QUANTITY:

12 PCS

PART NUMBER	NCSD-R6TW	NCSD-R630
INPUT VOLTAGE	120VAC	
WATTAGE	16W	
LUMENS	1050lm	
DIMMING	Triac or ELV	
CRI	90+ CRI	
COLOR TEMPERATURE		



30K

Dedicated 3000K



NCSC-R4D / NCSC-R6D

4" & 6" CAN-LESS LED DOWNLIGHTS WITH DEEP REFLECTOR

Can-less LED recessed downlights are designed for easy installation into new construction or remodel applications. Each downlight includes an Selectable CCT switch located on the junction box. Deep reflector provides excellent glare control, quality of light, and efficiency.



NCSC-R6D1TWMPW
1050lm / 12W



NCSC-R4D1TWMPW
850lm / 10W





Scan for more info.




NCSC-R4D1




NCSC-R6D1

Scan for more info.




1-1/2"

5"



PART NUMBER	NCSC-R4D1	NCSC-R6D1
INPUT VOLTAGE	120VAC	
WATTAGE	10W	12W
LUMENS	850lm	1050lm
BEAM SPREAD	100° Flood	
DIMMING	Triac or ELV	
CRI	90+ CRI	
COLOR TEMPERATURE		



FEATURES:

- Deep cone reflector with dead front trim
- No housing required and includes pre-wired junction box
- Quick installation and cost savings
- Dimmable to 10%
- Five color temperature switch on remote driver
- IC rated for direct contact with insulation
- Air-Tight rated for energy savings
- cETLus listed for wet locations
- Mounting accessories and battery back up available
- 5-Year limited warranty



ACCESSORIES



Universal New Construction Frame-In for 4" Downlight only
NF-R246

New construction frame-in can be used to assist installing can-less recessed downlighting. Helps indicate wiring location and cutting guide.



New Construction Frame-In with Collar for 4" Downlight
NFC-R430

New construction frame-in can be used to assist installing can-less recessed downlighting.



New Construction Frame-In with Collar for 6" Downlight
NFC-R55

New construction frame-in can be used to assist installing can-less recessed downlighting.



Emergency Battery with Remote Test Switch
NEPK-20LEDUNV

120-277V Emergency battery operates luminaire for 90 minute emergency operation with a fully charged battery. Requires 24 hours to for full charge.



Quick Connect Extension Linkable Cables
NEFLINTW-EW-4 4' Cable
NEFLINTW-EW-20 10' Cable

Use to extend the length between luminaire and driver enclosure.

4" & 6" CAN-LESS LED DOWNLIGHT WITH DEEP REFLECTOR

CATALOG NUMBER	UPC	DESCRIPTION	LUMENS / WATTAGE	CASE QTY.
NCSC-R4D1TWMPW	732180816828	4" Can-less LED Downlight with Deep Reflector	850lm / 10W	12 PCS.
NCSC-R6D1TWMPW	732180816835	6" Can-less LED Downlight with Deep Reflector	1050lm / 12W	12 PCS.



NCSC-R4W / NCSC-R6W

4" & 6" CAN-LESS LED WAFER DOWNLIGHTS WITH REGRESSED BAFFLE


Can-less LED recessed downlights are designed for easy installation into new construction or remodel applications with low ceiling plenum. Each downlight includes an Selectable CCT switch located on the junction box. Regressed baffle provides glare control and improved quality of light.




NCSC-R6W2TWMPW
1050lm / 13.5W

NCSC-R4W2TWMPW
750lm / 10W





PART NUMBER	NCSC-R4W2	NCSC-R6W2
INPUT VOLTAGE	120VAC	
WATTAGE	10W	13.5W
LUMENS	750lm	1050lm
BEAM SPREAD	112° Flood	
DIMMING	Triac or ELV	
CRI	90+ CRI	
COLOR TEMPERATURE		




FEATURES:

- Only 5/8" tall, ideal for shallow plenums
- No housing required and includes pre-wired junction box
- Quick installation and cost savings
- Dimmable to 10%
- Five color temperature switch on remote driver
- IC rated for direct contact with insulation
- Air-Tight rated for energy savings
- cETLus listed for wet locations
- Mounting accessories and battery back up available
- 5-Year limited warranty



ACCESSORIES



Universal New Construction Frame-In for 4" & 6" Downlights
NF-R246

New construction frame-in can be used to assist installing can-less recessed downlighting. Helps indicate wiring location and cutting guide.



New Construction Frame-In with Collar for 4" Downlight
NFC-R430

New construction frame-in can be used to assist installing can-less recessed downlighting.



New Construction Frame-In with Collar for 6" Downlight
NQZ-6R-F

New construction frame-in can be used to assist installing can-less recessed downlighting.



Emergency Battery with Remote Test Switch
NEPK-20LEDUNV

120-277V Emergency battery operates luminaire for 90 minute emergency operation with a fully charged battery. Requires 24 hours to for full charge.



Quick Connect Extension Linkable Cables
NEFLINTW-EW-4 4' Cable
NEFLINTW-EW-20 10' Cable

Use to extend the length between luminaire and driver enclosure.

4" & 6" CAN-LESS LED WAFER DOWNLIGHT WITH REGRESSED BAFFLE

CATALOG NUMBER	UPC	DESCRIPTION	LUMENS / WATTAGE	CASE QTY.
NCSC-R4W2TWMPW	732180816842	4" Can-less LED Wafer Downlight with Regressed Baffle	750lm / 10W	12 PCS.
NCSC-R6W2TWMPW	732180816859	6" Can-less LED Wafer Downlight with Regressed Baffle	1050lm / 13.5W	12 PCS.




4" & 6" IC AIR-TIGHT HOUSINGS

PART NUMBER	UPC	DESCRIPTION	CASE QTY.
NS-401QAT/IC	732180607907	4" IC Air-Tight New Construction w/ Medium Base Socket	6 PCS.
NHIC-17QAT	732180615568	6" IC Air-Tight New Construction w/ Medium Base Socket	6 PCS.
NSRIC-404QAT	732180402458	4" IC Air-Tight Remodel w/ Medium Base Socket	6 PCS.
NHRIC-17QAT	732180615605	6" IC Air-Tight Remodel w/ Medium Base Socket	6 PCS.

NCSR-R41 / NCSR-R61

4" & 6" LED RETROFIT REFLECTOR WITH SELECTABLE CCT

LED retrofit downlights are designed for easy installation into existing, new construction or remodel housings. Each downlight includes an Selectable CCT switch located on the back. Deep reflector provides excellent glare control, quality of light, and efficiency.



NCSR-R61TWMPW
950lm / 12W



NCSR-R41TWMPW
700lm / 10W



NCSR-R41

Scan for more info.




NCSR-R61

Scan for more info.



PART NUMBER	NCSR-R41	NCSR-R61
INPUT VOLTAGE	120VAC	
WATTAGE	10W	12W
LUMENS	750lm	950lm
BEAM SPREAD	99° Flood	
DIMMING	Triac or ELV	
CRI	90+ CRI	
COLOR TEMPERATURE		



FEATURES:

- Up to 2" height, fits over standard or shallow housings
- Plastic dead-front reflector trim
- Deep regressed reflector with matte power white finish
- Medium base socket adapter included
- Quick installation and cost savings
- Dimmable to 10%
- Five color temperature switch on the back of luminaire
- Gasket included for Air-Tight rating and energy savings
- cETLus listed for wet locations
- Certified to CA Title 24 JA8 requirements
- 5-Year limited warranty



4" & 6" LED RETROFIT REFLECTOR

CATALOG NUMBER	UPC	DESCRIPTION	LUMENS / WATTAGE	CASE QTY.
NCSR-R41TWMPW	732180816804	4" LED Retrofit Reflector with Selectable CCT	700lm / 10W	12 PCS.
NCSR-R61TWMPW	732180816811	6" LED Retrofit Reflector with Selectable CCT	950lm / 12W	12 PCS.



NCSD-R6

6" LED FLUSH MOUNT DISK LIGHT

Sleek, low-profile LED flush mount downlights are designed for easy installation over junction boxes. Available in dedicated 3000K or Five Selectable CCTs. Provides general illumination in residential and commercial applications including hospitality and multi-family.




NCSD-R630MPW (3000K)
NCSD-R6TWMPW (5 CCT)
 1200lm / 16W



Selectable CCT
 Five position switch
 27K / 30K / 35K / 40K / 50K



NCSD-R6TW**NCSD-R630**

PART NUMBER	NCSD-R6TW	NCSD-R630
-------------	-----------	-----------

INPUT VOLTAGE	120VAC	
---------------	--------	--

WATTAGE	16W	
---------	-----	--


LUMENS	1200lm	
--------	--------	--

BEAM SPREAD	112° Flood	
-------------	------------	--

DIMMING	Triac or ELV	
---------	--------------	--

CRI	90+ CRI	
-----	---------	--

COLOR TEMPERATURE



30K

Dedicated 3000K

FEATURES:

- Only 1-1/4" height and 7-1/2" diameter
- Easy installation over standard junction boxes
- Quick installation and cost savings
- Delivering over 1200 lumens @ 16W
- Dimmable to 10%
- Available in Dedicated 3000K or Selectable CCT
- cETLus listed for wet locations
- Certified to CA Title 24 JA8 requirements
- 5-Year limited warranty

**6" LED FLUSH MOUNT DISK LIGHT**


CATALOG NUMBER	UPC	DESCRIPTION	LUMENS / WATTAGE	CASE QTY.
NCSD-R6TWPW	732180816880	6" LED Flush Mount Disk Light with Selectable CCT	1200lm / 16W	12 PCS.
NCSD-R630MPW	732180816897	6" LED Flush Mount Disk Light with Dedicated 3000K CCT	1200lm / 16W	12 PCS.



NCSP

LED BACKLIT PANELS WITH SELECTABLE LUMENS & SELECTABLE CCT

Sleek, low-profile LED flush mount downlights are designed for easy installation over junction boxes. Available in dedicated 3000K or Five Selectable CCTs. Provides general illumination in residential and commercial applications including hospitality and multi-family.



NCSP-22/334W
3700lm / 30W




NCSP-24/334W
5700lm / 45W


Scan for more info.



NCSP-22/334W




NCSP-24/334W



Scan for more info.



PART NUMBER	NCSP-22/334W	NCSP-24/334W
INPUT VOLTAGE	120-277VAC	
WATTAGE	20W / 25W / 30W	35W / 40W / 45W
LUMENS	2600lm / 3100lm / 3700lm	4700lm / 5200lm / 5700lm
DIMMING	0-10V	
CRI	80+ CRI	
COLOR TEMPERATURE		



FEATURES:

- Only 1-1/4" tall, perfect for drop-in ceilings
- Smooth even lens projects a clean and crisp aesthetic
- Quick installation and cost savings
- Dimmable to 5% with compatible 0-10V dimmers
- Two Selectable Lumen and Color Temperature switches
- IC rated for direct contact with insulation
- Universal 120-277V input
- cETLus listed for damp locations
- DLC listed
- Mounting kits and accessories available
- 5-Year limited warranty



ACCESSORIES



Junction Box for Daisy Chaining

NPDBL-JB4X4

Junction box mounts on panel to allow them to be daisy chained together on the same switch (4-in / 4-out)



Surface Mounting Kit

NPDBL-22DFK/W

2' x 2'

NPDBL-24DFK/W

2' x 4'

The frame mounts over an existing junction box and the panel slides into place. Surface mounting frame only extends 2.5" from the ceiling.

Note: Junction box must be off center frame.



Recessed Mounting Kit

NPDBL-22RFBK/W

2' x 2'

NPDBL-24RFBK/W

2' x 4'

The white finished flange kit consist of one piece. The assembled frame installs into a hard ceiling. The panel lifts and shift in the frame ending in a finished flush appearance.

LED BACKLIT PANELS WITH SELECTABLE LUMENS & SELECTABLE CCT

CATALOG NUMBER	UPC	DESCRIPTION	LUMENS / WATTAGE	CASE QTY.
NCSP-22/334W	732180816866	2' x 2' LED Backlit Panel with Selectable Lumens & CCT	Up to 3700lm 20W / 25W / 30W	4 PCS.
NCSP-24/334W	732180816873	2' x 4' LED Backlit Panel with Selectable Lumens & CCT	Up to 5700lm 35W / 40W / 45W	4 PCS.



QUICK SHIP PROGRAM

Introducing the Nora Quick Ship Program! Our Quick Ship program features SKUs that have the highest demand, along with our entire Contractor Series to meet contractors' everyday needs. Eligible orders placed before 1PM PST ship the same day - ensuring you have a high-quality product exactly when you need it!

Terms and conditions apply, reach out to your Nora representative today for full details.



NHIC-17QAT / NHIC-6LMRAT
6" Housing



NHIC-4LMRAT
4" Housing



NS-401QAT
4" Housing



NSRIC-404QAT
4" Housing

RECESSED HOUSINGS

PART NUMBER	UPC	DESCRIPTION
NHIC-4LMRAT	732180400645	4" LED Dedicated IC Air-Tight New Construction Housing
NS-401QAT	732180403325	4" Non-IC Air-Tight Line Voltage New Construction Housing
NSIC-401QAT	732180403387	4" IC Air-Tight Line Voltage Double Wall New Construction Housing
NSRIC-404QAT	732180402458	4" IC Air-Tight Line Voltage Remodel Housing
NHIC-17QAT	732180615568	6" IC Air-Tight Line Voltage Housing
NHIC-17QNBAT	732180615582	6" IC Air-Tight Line Voltage Housing, No Bracket
NHIC-6LMRAT	732180606214	6" LED Dedicated IC Air-Tight New Construction Housing
NHRIC-17QAT	732180615605	6" IC Air-Tight Line Voltage Remodel Housing



NTM-713WAL
6" White Trim



NTM-31
6" White Trim



NT-28
6" White Trim



NS-40
4" White Trim



NS-46
4" White Trim



NS-18
4" White Trim

RECESSED TRIMS

PART NUMBER	UPC	DESCRIPTION
NS-18	732180441273	4" Adjustable Eyeball
NS-40	732180441532	4" Stepped Baffle with Ring
NS-46	732180441891	4" Specular White Reflector with Metal Trim
NT-28	732180640270	6" BR30/PAR30 Eyeball with Metal Trim
NTM-31	732180641253	6" BR30/PAR30 White Stepped Baffle with Ring
NTM-713WAL	732180610037	6" BR40/PAR38 Air-Tight Aluminum Baffle Cone with Flange

OTHER QUICK SHIP ELIGIBLE PRODUCTS



NX-603D-LED
Dual Color Exit Sign
with Battery Backup



NE-612LEDW
Compact Emergency



NE-700LEDRC
Emergency with Remote Capability

EXIT & EMERGENCY


PART NUMBER	UPC	DESCRIPTION
NE-612LEDW	732180706457	LED Compact Dual Head Emergency Light
NE-700LEDRCW	732180923335	LED Emergency Light with Remote Capability
NX-603D-LED	732180706570	Dual Color LED Exit Sign with Battery Backup



NELOCAC-6RL130W
6" ELO Surface Mount
1080lm / 15W / 3000K





NSLIM-4RL1TWMPW
4" Slim Surface Mount
with Selectable CCT



SURFACE MOUNT

PART NUMBER	UPC	DESCRIPTION
NELOCAC-6RL130W	732180579952	6" ELO LED Surface Mount, 1080lm / 15W, 3000K
NSLIM-4RL1TWMPW	732180834952	4" Slim LED Surface Mount with Selectable CCT



COMMERCIAL

PART NUMBER	UPC	DESCRIPTION
NLWPSW-4L334W	732180580644	48" LED Wraparound with Selectable Lumens & CCT



NORA LIGHTING, INC.
6505 Gayhart St.
Commerce, CA 90040
TEL 323.767.2600
FAX 323.722.3677
www.NoraLighting.com

DOMESTIC FACILITIES:

Atlanta, GA
Cincinnati, OH
Dallas, TX
Detroit, MI
Edison, NJ
Los Angeles, CA
Louisville, KY
Minneapolis, MN
Nashville, TN

INTERNATIONAL SALES:

6505 Gayhart St.
Commerce, CA 90040
TEL 323.767.2600
FAX 323.722.3677

The products shown in this catalog are covered by USA and International patents. Specifications subject to change without notice.

© Copyright 2024 Nora Lighting, Inc.
All rights reserved

7M ML-CSC1024

