

1" Iolite LED Module Compatibility Chart

Field Changeable Optics





NORA
LIGHTING

LED Module		Trim		
NIO-LED69CDX NIO-LED69BX NIO-SLED69BX  Where: B = 27, 30, 35, 40, 50, CD		NIOB-1BCD	NIO-1BCD	
	NIOB-1RNB 		NIO-1RNB 	
	NIOB-1RNG 		NIO-1RNG 	
	NIOB-1RPH 		NIO-1SNB 	
	NIOB-1SNB 		NIO-1SNG 	
	NIOB-1SNG 			
	NIOB-1RSL 			
Compatible Housings	MODULE/TRIM FINISHING SECTION FOR USE WITH ROUGH-IN SECTION			
	NHIOICDX-16D/F WHERE D=LE3,LE4; F=PEM; X=MAY BE BLANK OR CP 	NHRIIC-16LE4 	NHIOICDX-16D/F WHERE D=LE3,LE4; F=PEM; X=MAY BE BLANK OR CP 	

2" Iolite LED Module Compatibility Chart

Field Changeable Optics





NORA
LIGHTING

LED Module	Trim		Trimless	
	NIOB-2BCD		NIO-2BCD	
NIO-LED89CDX NIO-LED89BX NIO-LED109BX NIO-SLED109BX  Where: B = 27, 30, 35, 40, 50	NIOB-2RC  		NIO-2RTLA  	
	NIOB-2RG  		NIO-2RTLND  	
	NIOB-2RND  			
	NIOB-2RPH  			
	NIOB-2RSL  			
	NIOB-2RNB  			
	NIOB-2SC  			
	NIOB-2SG  			
	NIOB-2SND  			
	NIOB-2RPHA  			
	NIOB-2SND  			
	NIOB-2SNB  			
Compatible Housings	MODULE/TRIM FINISHING SECTION FOR USE WITH ROUGH-IN SECTION			
	NHIOICDX-28D/F WHERE D=LE3,LE4; F=PEM; X=MAY BE BLANK OR CP 	NHRIIC-28LE4 	NHIOICDX-28D/F WHERE D=LE3,LE4; F=PEM; X=MAY BE BLANK OR CP 	
Required Mud Ring			MUD PLATE REQUIRED NIO-TLMR-2RA 	

2" Iolite 10° LED Module Compatibility Chart

Dedicated 10° Optic



NORA
LIGHTING

LED Module	Trim		Trimless	
	NIOB-2BCD		NIO-2BCD	
NIO-BLED109BQ  Where: B = 27, 30, 35, 40	NIOB-2RC 		NIO-2RTLA 	
	NIOB-2RG 		NIO-2RTLND 	
	NIOB-2RND 			
	NIOB-2RPH 			
	NIOB-2RSL 			
	NIOB-2RNB 			
	NIOB-2SC 			
	NIOB-2SG 			
	NIOB-2SND 			
	NIOB-2RPHA 			
	NIOB-2SND SQ 			
	NIOB-2SNB 			
Compatible Housings	MODULE/TRIM FINISHING SECTION FOR USE WITH ROUGH-IN SECTION			
	NHIOICD-28LE4 NHIOICDCP-28LE4 	NHRIIC-28LE4 	NHIOICD-28LE4 NHIOICDCP-28LE4 	
Required Mud Ring			MUD PLATE REQUIRED NIO-TLMR-2RA 	

2" Iolite High Lumen LED Module Compatibility Chart

Field Changeable Optics



NORA
LIGHTING

LED Module	Trim	
	NIOB-2BCD	
NIO-LEDHL9BX NIO-SLEDHL9BX  Where: B = 27, 30, 35, 40, 50, CDX	NIOB-2RC 	
	NIOB-2RG 	
	NIOB-2RND 	
	NIOB-2RPH 	
	NIOB-2RSL 	
	NIOB-2RNB 	
	NIOB-2SC 	
	NIOB-2SND 	
	NIOB-2RPHA 	
	NIOB-2SND SQ 	
	NIOB-2SNB 	
Compatible Housings	MODULE/TRIM FINISHING SECTION FOR USE WITH ROUGH-IN SECTION NHIOICDX-2CD/F WHERE C=15,20,25; D=LE4,LUPEQ,LUPEQ1; F=PEM; X=MAY BE BLANK OR CP 	

4" Iolite LED Module Compatibility Chart

Field Changeable Optics



NORA
LIGHTING

LED Module	Trim				Trimless
	NIO-4BCD				NIO-4BCD
NIO-LED89CDX NIO-LED89BX NIO-LED109BX NIO-SLED109BX  Where: B = 27, 30, 35, 40, 50	NIO-4RC 	NIO-4RNB 	NIO-4RC 	NIO-4RNB 	NIO-4RTLA 
	NIO-4SC 	NIO-4SNB 	NIO-4SC 	NIO-4SNB 	NIO-4RTSLA 
	NIO-4RG 	NIO-4RW 	NIO-4RG 	NIO-4RND 	NIO-4RTLND 
	NIO-4SG 	NIO-4SW 	NIO-4SG 	NIO-4SND 	NIO-4STLND 
	NIO-4RD 	NIO-4RND 	NIO-4RD 	NIO-4SND 	
	NIO-4SD 	NIO-4SND 	NIO-4SD 	NIO-4SD 	
	NIO-4RSL 	NIO-4SND 	NIO-4RSL 		
	NIO-4RSLA 	NIO-4SD 	NIO-4RSLA 		
	NIO-4RPH 		NIO-4RPH 		
	NIO-4RPHA 		NIO-4RPHA 		
Compatible Housings	MODULE/TRIM FINISHING SECTION FOR USE WITH ROUGH-IN SECTION				
	NHIOICDX-48D/F WHERE D=LE3,LE4; F=PEM; X=MAY BE BLANK OR CP 		NHRIIC-48D WHERE D=LE3A,LE4 		NHIOICDX-48D/F WHERE D=LE3,LE4; F=PEM; X=MAY BE BLANK OR CP 
Required Mud Ring					MUD RING REQUIRED: NIO-TLMR-4RA or NIO-TLMR-4SA 

4" Iolite 10° LED Module Compatibility Chart

Dedicated 10° Optic


NORA
LIGHTING

LED Module	Trim				Trimless
	NIO-4BCD				NIO-4BCD
NIO-BLED109B0  Where: B = 27, 30, 35, 40	NIO-4RC 	NIO-4RNB 	NIO-4RC 	NIO-4RNB 	NIO-4RTLA 
	NIO-4SC 	NIO-4SNB 	NIO-4SC 	NIO-4SNB 	NIO-4RTSLA 
	NIO-4RG 	NIO-4RW 	NIO-4RG 	NIO-4RND 	NIO-4RTLND 
	NIO-4SG 	NIO-4SW 	NIO-4SG 	NIO-4SND 	NIO-4STLND 
	NIO-4RD 	NIO-4RND 	NIO-4RD 	NIO-4SND 	
	NIO-4SD 	NIO-4SND 	NIO-4SD 	NIO-4SD 	
	NIO-4RSL 	NIO-4SND 	NIO-4RSL 		
	NIO-4RSLA 	NIO-4SD 	NIO-4RSLA 		
	NIO-4RPH 		NIO-4RPH 		
	NIO-4RPHA 		NIO-4RPHA 		
MODULE/TRIM FINISHING SECTION FOR USE WITH ROUGH-IN SECTION					
Compatible Housings	NHIOICD-48LE4 NHIOICDP-48LE4 		NHROIC-48LE4 		NHIOICD-48LE4 NHIOICDP-48LE4 
					MUD RING REQUIRED: NIO-TLMR-4RA or NIO-TLMR-4SA 
Required Mud Ring					

4" Iolite High Lumen LED Module Compatibility Chart

Field Changeable Optics

NORA
LIGHTING

LED Module	Trim		Trimless	
	NIO-4BCD		NIO-4BCD	NIO-4BCD
NIO-LEDHL9BX NIO-SLEDHL9BX  Where: B = 27, 30, 35, 40, 50, CDX	NIO-4RC  	NIO-4RNB  	NIO-4RTLA 2000lm max.  	NIO-4PSTLA 2000lm max.  
	NIO-4SC  	NIO-4SNB  	NIO-4RTLND  	NIO-4PSTLND  
	NIO-4RG  	NIO-4RW 2000lm max.  	NIO-4PRTL 2000lm max.  	
	NIO-4SG  	NIO-4SW 2000lm max.  	NIO-4PRTLND  	
	NIO-4RD 2000lm max.  	NIO-4RNDC  		
	NIO-4SD 2000lm max.  	NIO-4SND  		
	NIO-4RSL  	NIO-4SND  		
	NIO-4RSLA 2000lm max.  	NIO-4SDSQ 2000lm max.  		
	NIO-4RPH  			
	NIO-4RPHA  			
Compatible Housings	MODULE/TRIM FINISHING SECTION FOR USE WITH ROUGH-IN SECTION			
	NHIOICDX-4CD/F WHERE C=15,20,25; D=LE4,LUPEQ,LUPEQ1; F=PEM; X=MAY BE BLANK OR CP 		NHIOICDX-4CD/F WHERE C=15,20,25; D=LE4,LUPEQ,LUPEQ1; F=PEM; X=MAY BE BLANK OR CP 	NHIOICDX-4PSCD/F WHERE C=15,20,25; D=LE4,LUPEQ,LUPEQ1; F=PEM; X=MAY BE BLANK OR CP 
Required Mud Ring			MUD RING REQUIRED: NIO-TLMR-4RA OR NIO-TLMR-4PR 	MUD RING REQUIRED: NIO-TLMR-4PS 